



# बान्नीगढी जयगढ गाँउपालिका गाउँ कार्यपालिकाको कार्यालय

जयगढ, अछाम  
सुदूरपश्चिम प्रदेश, नेपाल



पत्र संख्या २०७९/०८०

मिति: २०७९/१२/२७

सेनटरी प्याडको दर रेट पेश गर्ने सम्बन्धि सूचना ।

सूचना प्रकाशित मिति:- २०७९/१२/२७

प्रस्तुत बिषयमा सामुदायिक बिद्यालयका छात्राहरुलाई निशुल्क सेनटरी प्याड ब्यवस्थापन कार्यक्रम अन्तरगत आ. ब. २०७९।०८० को लागि यस गाउँपालिकाको सामुदायिक बिद्यालयका छात्राहरुलाई सेनटरी प्याड खरिद गर्नु पर्ने भएकाले यो सूचना प्रकाशित भएको मितिले ३ (तिन) दिन भित्र ईच्छुक सप्लायर्स वा बिक्रिकर्ताले यस गाउँपालिकामा प्रति प्याकेटको दर रेट पेश गरिदिन हुन अनुरोध गरिन्छ ।

## सम्पर्क ठेगाना

फोन नं.:- 9868582359

ईमेल:- [log.bannigadhi@gmail.com](mailto:log.bannigadhi@gmail.com),

झनक रेग्मी

नि. प्रमुख प्रशासकीय अधिकृत

नि. प्रमुख प्रशासकीय अधिकृत

Email: [info@bannigadhijaygadhmun.gov.np](mailto:info@bannigadhijaygadhmun.gov.np) Website: [www.bannigadhijaygadhmun.gov.np](http://www.bannigadhijaygadhmun.gov.np)

Mobile App: Bannigadhijaygadh

समृद्धीको आधार : बान्नीगढी सरकार



# बान्नीगढी जयगढ गाउँपालिका गाउँ कार्यपालिकाको कार्यालय

जयगढ, अछाम  
सुदूरपश्चिम प्रदेश, नेपाल



1.0	<b>Supplying Sanitary Pad</b>
i.	<b>Type and Physical Finishing</b>
	Regular with wing, napkin with uniform thickness throughout without any wrinkles and distortion. The sanitary napkins shall have a soft feel and when worn shall not chafe or give any uncomfortable feeling. They shall be Free from all sorts of foreign matter.
ii.	<b>Raw Material Permitted</b>
a.	<b>Absorbent Filter.</b>
	Plant-based raw materials such as wood pulp, cellulose pulp, bamboo fiber, banana fiber and corn which have natural sterilization effects, tissue paper, pure cotton, shall be free from lumps, oil spots, dirt or foreign material.
b.	<b>Covering.</b>
	The covering of the absorbent filter shall be of a good quality cotton or rayon knitted sleeving, gauze or non-woven fabric with sufficient porosity to permit the assembled pad to meet absorbency requirements.
iii.	<b>Size.</b>
	Size including minimum (240 ± 20 mm length and 60 or 75 mm width, thickness 15 ± 2 mm )
iv.	<b>Absorbency.</b>
	The sanitary pad shall absorb at least 30ml of colored distilled water and it shall not show leakage at the bottom or sides of the sanitary napkin.
v.	<b>Disposability.</b>
	Disposable pad with the covering removed, shall be immersed in 15 lit. of water and stirred. The pad shall disintegrate in the water in not more than 5 minutes.
vi.	<b>Colour.</b>
	The Product shall be white in colour and shall be almost odourless.
vii.	<b>PH Value.</b>
	Free from acid and alkali, PH of absorbent material shall be 6-8.5 (tested as per the method given in Indian standard 1390)
viii.	<b>Hygiene Testing Requirement.</b>
	Total viable count (total number of bacteria and fungi) shall be not more than 1000 cfu/gm and absence of staphylococcus aureus. The napkin shall be tested for the presence of staphylococcus in accordance with IS 5887 ( Part 2)
ix.	<b>The manufacture shall declare that all ingredients used in the product are safe for human use based on its known toxicological characteristics at intended use.</b>
x.	<b>Packing Type.</b>
	At least 90% Compostable pack, protecting package to product.
xi.	<b>Packing Size.</b>
	Minimum 8 pads per pack
xii.	<b>Biodegradability or Composability Requirements.</b>
	At least 90% degrade within 6 months ( testing is performed and conformed from recognized laboratory )

Email: [info@bannigadhi-jaygadh-mun.gov.np](mailto:info@bannigadhi-jaygadh-mun.gov.np) Website: [www.bannigadhi-jaygadh-mun.gov.np](http://www.bannigadhi-jaygadh-mun.gov.np)

Mobile App: Bannigadhi-jaygadh

समृद्धीको आधार : बान्नीगढी सरकार